

B**RETURADRESSE:**
Blyttia,
Naturhistorisk museum,
Postboks 1172 Blindern,
NO-0318 Oslo

BLYTTIA 80(4) – NR. 4 FOR 2022:

NORGES BOTANISKE ANNALER

- Birna Rørslett: Mørkvasshår *Callitriche platycarpa* i Norge, samt litt om dens hybrid *C. × vigens* 225 – 233
Anne J. Elven, Tonje Evang Berland, Reidar Elven og Trond Magne Storstad: Åsstart *Carex pallidula* i Norge 234 – 238
Reidar Elven, Charlotte S. Bjorå, Eli Fremstad, Hanne Hegre og Heidi Solstad: Bakgrunn for endringer i 'Norsk flora' 2022 (3) 239 – 259
Per Fadnes: Sjeldne og rødlistede skorpelav i kystregnskogen i Sunnhordland 260 – 271

FLORISTISK SMÅGODT

- Jørn Olav Løkken: *Montia linearis* påvist i Norge 217 – 219

SKOLERINGSSTOFF

- Geir Arne Evje: Kvartalets villblomst. Breimyrull 208 – 209
(red.) Skrubbær med tretallssymmetri – men hvorfor har ikke «femblad» femtallige blomster? 210
Per M. Jørgensen: Personene i planteslektsnavnene: II. Blant guder og sagnfigurer 211 – 217
Jan Wesenberg: Venner som poserer sammen: Rogneunderartene 233

INNI GRANSKAUEN

- Jan Wesenberg: To biologisk misforståtte skiljekarakterer? 220 – 224

NORSK BOTANISK FORENING

- (red.): Leiar. Floraen er her 207 – 208

BØKER ETC

- (red.): Botaniska nycklar 217

RETTELSE

- Reidar Elven og Erik Ljungstrand: *Cephalanthera longifolia*, ikke *C. damasonium* 259

ANNONSE

- I beit for ei plantepresse? 224

Forsidebilde:

Mørkvasshår *Callitriche platycarpa*, en art som inntil nylig har hatt en omdiskutert tilstedeværelse i Norge, med ett gammelt funn i Østfold og flere tvilsomme registreringer i Midt-Norge. Nylig er den sikkert funnet på to lokaliteter på Romerike. På s. 225 beskriver Birna Rørslett arten (og dens hybrid med sprikevasshår), samt skillekarakterer mot andre arter. Foto tatt 7.10.2021, Skjeia (Lillestrøm, tidligere Sørumsund) kommune, Akershus.

Cover photo:

Callitriche platycarpa has until recently been a species of disputed occurrence in Norway, with one old locality in Østfold county and several doubtful records in Central Norway. It has in the recent years been found on two localities in the Romerike region of Akershus county. On p. 225, Birna Rørslett describes the species (as well as its hybrid with *C. cophocarpa*) and the diagnostic characters from other species. Photo: 7 October 2021, at Skjeia in Lillestrøm municipality.